



**BOONE COUNTY, MISSOURI**  
**Request for Bid #16-08APR08 – Regulatory Signs – Term and Supply**

**ADDENDUM #1 - Issued March 26, 2008**

This addendum is issued in accordance with the Request for Bid and is hereby incorporated into and made a part of the Request for Bid Documents. Bidders are reminded that receipt of this addendum should be acknowledged and submitted with Bidder's *Response Form*.

The following questions have been received for the above referenced bid and the following responses are provided. Specifications for the above noted Request for Bid and the work covered thereby are herein modified as follows, and except as set forth herein, otherwise remain unchanged and in full force and effect:

- I. Question 1: Regarding paragraph 4.8.11.8. *Mowers Ahead*:**  
**a. Is this a roll-up sign or a sign on .080 aluminum? What kind of base is needed?**

**County Response:** ADD the following specifications:

Portable Sign Stands: Zephyr Portable Sign Stand or equal

Roll-Up

NCHRP350 tested and certified

Recycled Rubber base – weighs approx. 41 lbs (28"x17.5")

Displays either 36" or 48" signs using a "screwlock" clamp

Bases are stackable

Molded carrying handles

Mesh Roll-up Signs:

Non-reflective and reflective

16 oz. orange vinyl coated mesh fabric

Polycarbonate corner pockets

Anti-kiting device

Fiberglass rib set

The County will order a variety of standard signs (ie "Road Work Ahead", "Mowers Ahead", etc.)

- II. Question 2: Regarding paragraph 4.9.11. Type II Baricade: Do you want aluminum or plastic?**

**County Response:** Polyurethane

- III. Question 3: Regarding paragraph 4.9.3.1. Road Number: Does this need to be the CRM-375 or can an equal be quoted?**

**County Response:** "Or Equal" Allowed. Bidders are to bid as specified herein or bid an approved equal. Determination of equality is solely Boone County's responsibility.


IV. **Question 4: Regarding paragraph 4.10.1.4. & 4.10.1.5. Uni-Strut Post: Can an equal be quoted?**

**County Response:** "Or Equal" Allowed. Bidders are to bid as specified herein or bid an approved equal. Determination of equality is solely Boone County's responsibility.

V. **Question 6: Regarding paragraph 4.10.1.11. – 4.10.1.13. Brackets: Can an equal be quoted?**

**County Response:** "Or Equal" Allowed. Bidders are to bid as specified herein or bid an approved equal. Determination of equality is solely Boone County's responsibility.

VI. **REPLACE 4. Response Form with the attached Revised Response Form, which add sections 4.9.3.4. through 4.9.3.9., and section 4.12.**

By:   
**Melinda Bobbitt, CPPB**  
**Purchasing Director**

OFFEROR has examined copy of Addendum #1 to Request for Bid # 16-08APR08 – Regulatory Signs – Term and Supply, receipt of which is hereby acknowledged:

Company Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
\_\_\_\_\_

Phone Number: \_\_\_\_\_ Fax Number: \_\_\_\_\_

Authorized Representative Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Authorized Representative Printed Name: \_\_\_\_\_

4. Revised Response Form

- 4.1. Company Name: \_\_\_\_\_
- 4.2. Address: \_\_\_\_\_
- 4.3. City/Zip: \_\_\_\_\_
- 4.4. Phone Number: \_\_\_\_\_
- 4.5. Fax Number: \_\_\_\_\_
- 4.6. E-Mail Address: \_\_\_\_\_
- 4.7. Federal Tax ID: \_\_\_\_\_
- 4.7.1.  Corporation  
 Partnership - Name \_\_\_\_\_  
 Individual/Proprietorship - Individual Name \_\_\_\_\_  
 Other (Specify) \_\_\_\_\_

PRICING

4.8.	CATEGORY A: TRAFFIC SIGNS		PRICE PER EACH
4.8.1.	STOP AND YIELD SIGNS:		
4.8.1.1.	Stop 24 Octagonal	R1-1	\$ /Each
4.8.1.2.	Stop 30 Octagonal	R1-1	\$ /Each
4.8.1.3.	Yield 36 Triangular	R1-2	\$ /Each
4.8.1.4.	4-Way 12 X 6	R1-3	\$ /Each
4.8.1.5.	All Way 18 x 6	R1-4	\$ /Each
4.8.2.	SPEED LIMIT SIGNS:		
4.8.2.1.	Speed Limit 18 X 24	R2-1	\$ /Each
4.8.2.2.	Speed Limit 24 x 30	R2-1	\$ /Each
4.8.2.3.	Speed Limit Except Where Posted 24 X 48	R2-4A	\$ /Each
4.8.3.	TRAFFIC MOVEMENT & PROHIBITION SIGNS:		
4.8.3.1.	No Turn 24 X 24	R3-4	\$ /Each
4.8.3.2.	Left Lane Must Turn Left 30 X 30	R3-7L	\$ /Each
4.8.3.3.	Right Lane Must Turn Right 30 X 30	R3-7R	\$ /Each
4.8.3.4.	Do Not Enter 30 X 30	R5-1	\$ /Each
4.8.3.5.	No Trucks (Symbol) 24 X 24	R5-2	\$ /Each
4.8.3.6.	No Trucks 24 X 18	R5-2P	\$ /Each
4.8.3.7.	One Way Arrow Left 36 X 12	R6-1L	\$ /Each
4.8.3.8.	One Way Arrow Right 36 X 12	R6-1R	\$ /Each
4.8.3.9.	One Way-Left Arrow 18 X 24	R6-2L	\$ /Each

4.8.3.10	One Way-Right Arrow 18 X 24	R6-2R	\$	/Each
4.8.3.11	No Parking 12 X 18	R7-1B	\$	/Each
4.8.3.12	No Parking Anytime 12 X 18	R7-1	\$	/Each
4.8.3.13	No Parking Here To Corner 12 X 18	R7-11D	\$	/Each
4.8.3.14	No Parking Between Signs 12 X 18	R7-12	\$	/Each
4.8.3.15	No Parking Time Zone 12 X 18	R7-101D	\$	/Each
4.8.3.16	No Dumping Allowed 18 X 24	R10-20	\$	/Each
4.8.3.17	Weight Limit Tons 18 X 24	R12-1	\$	/Each
4.8.3.18	Weight Limit Tons 24 X 30	R12-1	\$	/Each

4.8.4. HORIZONTAL ALIGNMENT SIGNS:

4.8.4.1.	Curve Arrow Right 30 X 30	W1-1R	\$	/Each
4.8.4.2.	Curve Arrow Left 30 X 30	W1-1L	\$	/Each
4.8.4.3.	Reverse Turn Right 30 X 30	W1-3R	\$	/Each
4.8.4.4.	Reverse Turn Left 30 X 30	W1-3L	\$	/Each
4.8.4.5.	Reverse Curve Right 30 X 30	W1-4R	\$	/Each
4.8.4.6.	Reverse Curve Left 30 X 30	W1-4L	\$	/Each
4.8.4.7.	Winding Road Right 30 X 30	W1-5R	\$	/Each
4.8.4.8.	Winding Road Left 30 X 30	W1-5L	\$	/Each
4.8.4.9.	Directional Arrow 48 X 24	W1-6	\$	/Each
4.8.4.10	Directional Arrow 48 X 24	W1-7	\$	/Each
4.8.4.11	Chevron Double Faced 18 X 24	W1-8	\$	/Each
4.8.4.12	Chevron Double Faced 24 X 30	W1-8	\$	/Each
4.8.4.13	T Symbol 30 X 30	W2-4	\$	/Each
4.8.4.14.	Intersection Symbol 30 X 30	W2-1	\$	/Each

4.8.5. WARNING SIGNS:

4.8.5.1.	Road Work Ahead 30 X 30	W20	\$	/Each
4.8.5.2.	Road Work Ahead 30 X 30	W21	\$	/Each
4.8.5.3.	Road Closed 48 X 30	R11-2	\$	/Each
4.8.5.4.	Road Closed to Thru Traffic 60 X 30	R11-4	\$	/Each
4.8.5.5.	Fresh Oil 30 X 30	TW21	\$	/Each
4.8.5.6.	Stop Ahead 30 X 30	W3-1A	\$	/Each
4.8.5.7.	Be Prepared To Stop 30 X 30	W21-SP	\$	/Each
4.8.5.8.	Flaggers Ahead 30 X 30	W20-7A	\$	/Each
4.8.5.9.	Equestrian Trail Ahead 30 X 30	W11-7	\$	/Each
4.8.5.10	Fire Station Ahead 30 X 30	W11-8	\$	/Each

4.8.6.	<b>SUPPLEMENTAL WARNING PLAQUE:</b>			
4.8.6.1.	Stop Ahead Placard 24 X 18	W3-1P	\$	/Each
4.8.6.2.	Yield Ahead Placard 24 X 18	W3-2P	\$	/Each
4.8.6.3.	Hill 24 X 18	W7-1P	\$	/Each
4.8.6.4.	School X-ing 24 X 18	S2-1P	\$	/Each
4.8.6.5.	Time Zone Placard 24 X 10	S4-1	\$	/Each
4.8.6.6.	Speed Placard 18 X 18	W13-1	\$	/Each
4.8.6.7.	Speed Advisory Placard 18 X 18	W13-6-1	\$	/Each
4.8.6.8.	Intersection Ahead Placard 24 X 18		\$	/Each
4.8.6.9.	Dangerous Hill Ahead 24 X 18		\$	/Each
4.8.6.10.	Equestrian X-ing Ahead Placard 24 X 18	W11-7P	\$	/Each
4.8.6.11.	Fire Station Ahead Placard 24 X 18	W11-8P	\$	/Each
4.8.7.	<b>INTERSECTION WARNING SIGNS:</b>			
4.8.7.1.	Intersection Signs 30 X 30	W2	\$	/Each
4.8.8.	<b>STOP AHEAD &amp; YIELD SIGNS:</b>			
4.8.8.1.	Stop Ahead 30 X 30	W3-1A	\$	/Each
4.8.8.2.	Yield Ahead 30 X 30	W3-2A	\$	/Each
4.8.9.	<b>BUMP SIGN:</b>			
4.8.9.1.	Bump 30 X 30	W8-1	\$	/Each
4.8.10.	<b>DEAD END or NO OUTLET SIGNS:</b>			
4.8.10.1.	Dead End 24 X 24	W14-1	\$	/Each
4.8.10.2.	Dead End 30 X 30	W14-1	\$	/Each
4.8.10.2.	No Outlet 30 X30	W14-2	\$	/Each
4.8.11.	<b>OTHER WARNING SIGNS:</b>			
4.8.11.1.	Railroad Crossing 30" Diameter	W10-1	\$	/Each
4.8.11.2.	Hazard Marker Double Faced 12 X 36	H-1	\$	/Each
4.8.11.3.	Caution 30 X 30	N17	\$	/Each
4.8.11.4.	Designates School Crossing 30 X 30	S2-1	\$	/Each
4.8.11.5.	Detour Directional Arrow 48 X 18	M4	\$	/Each
4.8.11.6.	Watch Children 30 X 30	W9-13	\$	/Each
4.8.11.7.	Mowers Ahead 36 X 36	W21-3A-A36	\$	/Each
4.8.11.8.	Mowers Ahead 36 X 36 Fold & Roll Collapsible Sign Panel w/Base		\$	/Each
4.8.12.	<b>FLOOD WARNING SIGNS:</b>			
4.8.12.1.	Do Not Enter When Flooded 30 X 30		\$	/Each
4.8.12.2.	Impassable During High Water 30 X 30		\$	/Each
4.8.12.3.	Flood Area Ahead 30 X 30		\$	/Each

4.8.13.	<b>SPECIAL SIGNS:</b>	
4.8.13.1.	<b>Adopt-a-Road (White on Olympic Blue) 36 X 24</b>	\$ /Each
<b>CATEGORY B:</b>		
<b>4.9.</b>	<b>BARRICADES, CONES, MARKERS</b>	<b>PRICE PER EACH</b>
<b>4.9.1. BARRICADES:</b>		
<b>Type II Double Sided / 3M 3930 Series of the High</b>		
4.9.1.1.	Intensity Prismatic or equal	\$ /Each
<b>Type III Double Sided / 3M 3930 Series of the High</b>		
4.9.1.2.	Intensity Prismatic or equal	\$ /Each
4.9.1.3.	<b>Type A Flashers</b>	\$ /Each
<b>4.9.2. TRAFFIC CONES:</b>		
4.9.2.1.	<b>Bright Orange 28" w/ 6" &amp; 4" Reflective Collar</b>	\$ /Each
<b>4.9.3. MARKERS:</b>		
4.9.3.1.	<b>Road Marker (White) 3"x6"x62" both sides CRM-375</b>	\$ /Each
4.9.3.2.	<b>End of Road Marker EOR-18RR</b>	\$ /Each
4.9.3.3.	<b>Temporary Chip Seal / Overlay Marker (Yellow)</b>	\$ /Each
<b>Type 1 – Hazard Marker – Surface Mount: Part #SH148SMA-YS. Round post, 48", flattened on top with black oval cap, 3" x 3" high intensity reflective patches.</b>		
4.9.3.4.		\$ /Each
<b>Type 3 – Channelizer – Surface Mount: Part # SH348SMA-WS. Round post, 48" with recessed cap, one 6" high intensity reflective wrap.</b>		
4.9.3.5.		\$ /Each
<b>Surface Mount Base: Part # SHSMAxx4-BL. SMA</b>		
4.9.3.6.	Surface Lock Pin Base with all around reflective wrap	\$ /Each
<b>Type 1 – Hazard Marker – Soil Anchor: Part # SH148GP3-WA. Round post, 48", flattened on top with black oval cap, 3" x 3" high intensity reflective patches.</b>		
4.9.3.7.		\$ /Each
<b>Type 2 – Guide Post – Soil Anchor: Part # SH248GP3-WS Round post, 48", flattened on top with black oval cap, one 3" x 9" high intensity reflective strip.</b>		
4.9.3.8.		\$ /Each
4.9.3.9.	<b>Soil Anchor – 18" GP5: Part # SHA5 14C-GL</b>	\$ /Each
<b>4.10. CATEGORY C: SIGN POSTS PRICE PER EACH</b>		
<b>4.10.1. SIGN POSTS &amp; HARDWARE:</b>		
4.10.1.1.	<b>Sign Post: U-Channel 8-foot long</b>	\$ /Each
4.10.1.2.	<b>Sign Post: U-Channel 10-foot long</b>	\$ /Each
4.10.1.3.	<b>Sign Post: U-Channel 12-foot long</b>	\$ /Each
4.10.1.4.	<b>Sign Post Uni-Strut Telespar10-foot long</b>	\$ /Each
4.10.1.5.	<b>Sign Post: Uni-Strut Telespar 2-piece break-away</b>	\$ /Each
4.10.1.6.	<b>Drive Rivet</b>	\$ /Each
4.10.1.7.	<b>Plastic Spacer</b>	\$ /Each
4.10.1.8.	<b>Cherry Mate Rivet</b>	\$ /Each

4.10.1.9.	Sign Post: Uni-Strut Rain Cap	\$	/Each
4.10.1.10	Corner Bolt w/ Nut	\$	/Each
4.10.1.11	MD Solutions Bracket Part #120UCF090 (90 Degrees)	\$	/Each
4.10.1.12	MD Solutions Bracket Part #120UCF180 (180 Degrees)	\$	/Each
4.10.1.13	MD Solutions Bracket Part #120CPF090	\$	/Each

4.11. Maximum Percentage Increase for Renewal Periods

4.11.1. \_\_\_\_\_ % 2<sup>nd</sup> Year

4.11.2. \_\_\_\_\_ % 3<sup>rd</sup> Year

4.12. Minimum discount from list for all products introduced after inception of the contract and all existing products not specified herein: \_\_\_\_\_ %

4.13. Will you honor the submitted prices for purchase by other entities in Boone County who participate in cooperative purchasing with Boone County, Missouri?  
 \_\_\_\_\_ Yes \_\_\_\_\_ No

4.14. Please Describe Warranty:

\_\_\_\_\_

\_\_\_\_\_

4.15. Please Describe On-Line Order Capability:

\_\_\_\_\_

\_\_\_\_\_

4.16. Delivery ARO: \_\_\_\_\_ days

4.17. **The undersigned offers to furnish and deliver the articles or services as specified at the prices and terms stated and in strict accordance with the specifications, instructions and general conditions of bidding which have been read and understood, and all of which are made part of this order.**

4.17.1. Authorized Representative (Sign By Hand):

4.17.2. Type or Print Signed Name:

\_\_\_\_\_

4.17.3. Today's Date: \_\_\_\_\_